

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"345"/\$.ccls. and register adj save adj value	US-PGPU B; USPAT	OR	OFF	2005/03/10 14:05
S2	5267	register same value same sav\$4	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:52
S3	241	"345"/\$.ccls. and register same value same sav\$4	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:52
S4	1	"345"/\$.ccls. and register adj value same sav\$4	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:52
S5	120	"345"/\$.ccls. and register adj value same stor\$4	US-PGPU B; USPAT	OR	OFF	2004/09/30 14:00
S6	14	"345"/\$.ccls. and register adj value adj stor\$4	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:45
S7	1	"6677945".pn.	US-PGPU B; USPAT	OR	OFF	2005/03/10 14:12
S8	1	"6300935".pn. and register and value and stor\$4	US-PGPU B; USPAT	OR	OFF	2005/03/10 14:11
S9	1	"6046746".pn.	US-PGPU B; USPAT	OR	OFF	2004/10/01 08:44
S10	2347	345/419,422,546,559.ccls.	US-PGPU B; USPAT	OR	OFF	2004/10/01 08:44
S11	615	345/419,422,546,559.ccls. and register	US-PGPU B; USPAT	OR	OFF	2004/10/01 08:44
S12	343	345/419,422,546,559.ccls. and register same value	US-PGPU B; USPAT	OR	OFF	2004/10/01 08:45
S13	30	345/419,422,546,559.ccls. and register same value same sav\$4	US-PGPU B; USPAT	OR	OFF	2004/10/01 08:45
S14	1	"20030063087"	US-PGPU B; USPAT	OR	OFF	2005/03/10 11:12
S15	1	"20030063087" and wfar same normal\$4	US-PGPU B; USPAT	OR	OFF	2005/03/10 12:53
S16	11	("4961153" "5301263" "5579455" "5771046" "5808618" "5844571" "5856829" "5977980" "5982373" "6046746" "6354838").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/03/10 11:17

S17	1	"20030063087" and wfar same normal\$4 and register same stor\$4	US-PGPU B; USPAT	OR	OFF	2005/03/11 09:38
S18	2	register adj save adj value	US-PGPU B; USPAT	OR	OFF	2005/03/10 14:05
S19	1	"6300935".pn. and register adj value adj stor\$4	US-PGPU B; USPAT	OR	OFF	2005/03/10 14:11
S20	1	"6677945".pn. and float\$4 same point same stor\$4	US-PGPU B; USPAT	OR	OFF	2005/03/10 15:03
S21	1	"6677945".pn. and float\$4 same point same stor\$4 same value	US-PGPU B; USPAT	OR	OFF	2005/03/11 07:36
S22	1	"6677945".pn. and (float\$4 same point same stor\$4 same value) same (w adj buffer)	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:07
S23	1	"6677945".pn. and ((float\$4 same point same stor\$4 same value) same (w adj buffer) and (depth adj buffer))	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:08
S24	1	"345"/\$.ccls. and ((register adj value adj stor\$4) and (float\$4 adj point))	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:47
S25	47	((register adj value adj stor\$4) and (float\$4 adj point))	US-PGPU B; USPAT	OR	OFF	2005/03/11 08:51
S26	90	((register adj value adj stor\$4) and (float\$4 adj point)) and value	US-PGPU B; USPAT	OR	ON	2005/03/11 08:51
S27	90	((register adj value adj stor\$4) and (float\$4 adj point))	US-PGPU B; USPAT	OR	ON	2005/03/11 08:51
S28	7353	register same value same sav\$4	US-PGPU B; USPAT	OR	ON	2005/03/11 08:52
S29	335	"345"/\$.ccls. and register same value same sav\$4	US-PGPU B; USPAT	OR	ON	2005/03/11 08:52
S30	28	"345"/\$.ccls. and register adj value same sav\$4	US-PGPU B; USPAT	OR	ON	2005/03/11 08:52
S31	1	"20030063087" and wfar same normal\$4 and register same stor\$4	US-PGPU B; USPAT	OR	ON	2005/03/11 09:38



[Subscribe \(Full Service\)](#) [Register \(Free, Limited Service\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

what is a variable format depth buffer?

SEARCH

THE ACM DIGITAL LIBRARY

Full text of every article ever published by ACM.

• [Using the ACM Digital Library](#)

- [Frequently Asked Questions \(FAQ's\)](#)

Recently loaded issues and proceedings:

(available in the DL within the past 2 weeks)

ACM Transactions on Applied Perception (TAP)
[Volume 2 Issue 1](#)

ACM Transactions on Computer Systems (TOCS)
[Volume 23 Issue 1](#)

ACM Transactions on Multimedia Computing,
Communications, and Applications (TOMCCAP)
[Volume 1 Issue 1](#)


Ubiquity
[Volume 6 Issue 2](#)

Feedback

- [Report a problem](#)
- [Take our Satisfaction survey](#)

 [Join ACM](#)

 [Subscribe to Publications](#)

 [Join SIGs](#)

 [Institutions & Libraries](#)

• [Advanced Search](#)

• [Browse the Digital Library:](#)

- [Journals](#)
- [Magazines](#)
- [Transactions](#)
- [Proceedings](#)
- [Newsletters](#)
- [Publications by Affiliated Organizations](#)
- [Special Interest Groups \(SIGs\)](#)

Personalized Services: [Login required](#)

[My Binders](#)

Save search results and queries. Share binders with colleagues and build bibliographies.

[TOC Service](#)

Receive the table of contents via email as new issues or proceedings become available.



[CrossRef Search](#)
Pilot program to create full-text interpublisher searchability.

Computing Reviews

Access [critical reviews](#) of computing literature.

THE GUIDE TO COMPUTING LITERATURE

Bibliographic collection from major publishers in computing.
[Go to The Guide](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **what is a variable format depth buffer?**

 Found **44,261** of **151,219**

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Quasi-linear depth buffers with variable resolution](#)

Eugene Lapidous, Guofang Jiao, Jianbo Zhang, Timothy Wilson

 August 2001 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**

 Full text available: [pdf\(98.14 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper we present new class of variable-resolution depth buffers, providing a flexible trade-off between depth precision in the distant areas of the view volume and performance. These depth buffers can be implemented using linear or quasi-linear mapping function of the distance to the camera to the depth in the screen space. In particular, the complementary Z buffer algorithm combines simplicity of implementation with significant bandwidth savings.

A variable-resolution depth b ...

Keywords: W buffer, Z buffer, complementary Z, depth precision, screen Z

2 [Optimal depth buffer for low-cost graphics hardware](#)

Eugene Lapidous, Guofang Jiao

 July 1999 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**

 Full text available: [pdf\(727.59 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
Keywords: W buffer, Z buffer, depth buffer, depth precision, screen Z, visibility error

3 [A method of interactive visualization of CAD surface models on a color video display](#)

Peter R. Atherton

 August 1981 **ACM SIGGRAPH Computer Graphics , Proceedings of the 8th annual conference on Computer graphics and interactive techniques**, Volume 15 Issue 3

 Full text available: [pdf\(987.48 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

To introduce rendered surface display technology into the production design environment, many CAD operations envision a single color video display device for download processing of selected model pictures. Creation of a single image from a typical industrial CAD model